



- EPOXY
- GROUT
- ADHESIVES
- WATERPROOFING



About Us

PATIDAR MINERALS BRAND BIGZEM is considered as one of the leading manufacturer and supplier of construction chemical products in India. BIGZEM is an ISO 9001:2015 certified company.

PATIDAR MINERALS is fastest growing Indian company in the field of construction chemical with brand name of BIGZEM. Our product range of construction chemical such as TILE adhesives, epoxy & grout, admixtures, sealers and waterproofing solutions.

Our world is nothing more than the extension of our personality. A signature that is individual and unique, an irreplaceable stamp of our soul.

We believe in treating our customers with respect and faith. We integrate honesty, integrity and business ethics into all aspects of our business functioning. To build long term relationships with our customers and provide exceptional customer services by pursuing business through innovation and advanced technology. Purpose to ne a leader in constructions chemical industry by providing enhanced product, service, relationship and profitability.



BIG VISION

To Become A Leader in Global Platform and make inroads for products innovation and consumer satisfaction. As a promoters of BIGZEM, We are committed to achieving new standards of excellence by providing superior quality management combined with effective services and maximizing the potential of through the delivery of the most reliable, responsive system which ensure the best end results.

- BIGZEM

BIG PLANS FOR MODERN MARKETING & MANAGEMENT

We've had an amazing journey coming to where we are today. and now feel confident that we can provide you a professional and effective solution in a timely manner. We have extensive skills in the following areas.

BIGZEM always make emphasis on long term view, let it be a Vision, Technology, Product, Sales Network or Branding approach, We always make intensive efforts to make the products best in quality and design and also make sure that product will represent the market in each area of the its sales network, and that's way management leading the market with proper placement along with proper branding & advertising.

Specialists in System-based instalattion Solutions

BIGZEM. we believe we are not selling just products but offering you world class solution to enable better design and faster execution.

Out installation system are specially innovated for those who love to experiment with new materials and techniques that lend their creativity a unique touch and standout quality. We will partner you in the quest to push back the boundaries and set fresh benchmarks.





Contents

	BG-011 Grey	01
_	BG-033 Grey	03
_	BG-055 Grey/White	05
_	Epoxy Grout	07
-	Tile Grout	09
-	SBR 50% Latex	11
_	Grout Admix	13
-	Tap Cleaner	15
-	Tile Cleaner	17
-	Tools	19
_	Pebbles/Tumbles	21



Polymer Modified TILE ADHESIVE

BZ-011



BIGZEM BZ-11 is a general purpose polymer modified cementitious grey coloured tile adhesive to fix high porosity ceramic tiles on internal floor and wall. It is ready to use tile fixing adhesive and needs no curing.

- High Porosity Tiles on Wall & Floor
 Vitrified Tiles on the Floor
- New Tiling in internal Areas
- Tile on Tile



BENEFITS

- Polymer Modified Additives
- High Bond Strength Ready to use
- Self Curing Good Pot Life
- Applicator Friendly
- Higher Coverage

BZ-011

SHELF LIFE: 1 Year From The Date of Mfg.

Polymer Modified TILE ADHESIVE

Packaging Size: 20 kg Bag

Conforms to : IS 15477:2019 Type - 1 | EN 12004 C1 E

TECHICAL SPECIFICATIONS

PARAMETERS	Appearance	Pot Life	Open Time	Tensile Adhesion (28 days)	Shear Adhesion (28 days)	Coverage (20 Kg Bag)
SPECIFICATION	Grey Powder	>60 Minutes	>20 Minutes	0.50 MPa	1.00 MPa	30-35 Sq.Ft. @3mm Bed Thickness



Polymer Modified TILE ADHESIVE

BZ-033



BIGZEM BZ-33 is a polymer modified adhesive to fix all type of tiles on the floor and wall. It forms a waterproof barrier between two surfaces and has excellent grab properties.

- Wall Application 2X4 upto 15 ft.
- Tile On Tile
- Small window Framing
- Indoor & Outdoor



BENEFITS

- Polymer Modified Additives
- High Bond Strength Ready to use
- Ready to use Self Curing
- Long Lasting Low VOC Applicator Friendly
- Higher Coverage

BZ-033

SHELF LIFE: 1 Year From The Date of Mfg.

Polymer Modified
TILE ADHESIVE

Packaging Size: 20 kg Bag

Conforms to : IS 15477:2019 Type - 1 | EN 12004 C2 T

TECHICAL SPECIFICATIONS

Tensile Shear Coverage Open Adhesion Adhesion PARAMETERS Appearance Pot Life Time (20 Kg Bag) (28 days) (28 days) 30-35 Sq.Ft. >20 >60 Grey 1.00 1.00 **SPECIFICATION** @3mm Bed Powder Minutes Minutes N/mm² N/mm² Thickness



Polymer Modified TILE ADHESIVE

BZ-055



BIGZEM BZ-55 is a Special Purpose polymer modified cementitious grey/white coloured tile adhesive to fix low porosity ceramic tiles and natural stone on internal & external floor and wall. It is ready to use tile fixing adhesive and needs no curing.

- Marble, Granite, Large Size Tiles
- Door & Window Framing
- Up to 40 ft Wall Application
- Indoor & Outdoor



BENEFITS

- Ready to use
- Polymer Modified Additives
- High Bond Stregth
- Self Curing
- Water Resistant
- Higher Coverage
- Applicator Friendly

BZ-055

SHELF LIFE: 1 Year From The Date of Mfg.

Polymer Modified
TILE ADHESIVE

Packaging Size: 20 kg Bag

Conforms to : IS 15477:2019 Type - 2 | EN 12004 C2 TE

TECHICAL SPECIFICATIONS

PARAMETERS	Appearance	Pot Life	Open Time	Tensile Adhesion (28 days)	Shear Adhesion (28 days)	Coverage (20 Kg Bag)
SPECIFICATION	Grey/White Powder	>60 Minutes	>30 Minutes	1.25 N/mm²	1.4 N/mm²	30-35 Sq.Ft. @3mm Bed Thickness



EPOXY GROUT



1Kg / 5Kg NET WEIGHT

BIGZEM EPOXY is a three-component epoxy based ceramic tile and stone joint filler with Chemical resistant properties. It is used as a high performance epoxy adhesive for groutingin high trafic areas like hospitals factories, garage etc.

- Grouting of all kinds of Tiles & Stone on Wall & Floor, Internal & External
- For Tiles Joints of Width 2 MM-12 MM -Available in Multiple Attractive Colours





- **BENEFITS** Wide Range of Colours
- Water Resistance
- Ready to use

- ACID Resistance
 Crack Free
 Shrink Free
 Easy To Mix & Apply

COLOUR: Available in multiple attractive Colours

SHELF LIFE: 1 Year From The Date of Mfg.

Three Components (R+H+F)

TECHICAL SPECIFICATIONS

Packaging Size: 1 kg & 5 kg

PARAMETERS	Initial Setting Time	Shrinkage at 7 Days	Compressive Strength at 7 Days	Flexural Strength	Tensile Strength at 7 Days	Water Absorption after 240 Min.
SPECIFICATION	180 - 240 Minutes	<0.10%	>30 Mpa	35-40 N/mm²	>10 MPa	0.015 -0.040 gm



TILE GROUT

TILE GROUT POLYMER MODIFIED







IVORY





PINK









JAISALMER

GREY





C. BROWN

BLACK







O. GREEN

R. BROWN V. TERRACOTTA

500g / 1Kg NET WEIGHT

BIGZEM TILE GROUT is a polymer modified cementitious tile joint filler adhesive for grouting all kinds of tiles and stone in internal and external areas. It effectively fills gaps and resists dust and water to seep into the back. It is available attractive colour options.

- Grouting of all kinds of Tiles & Stone on Wall & Floor, Internal & External
- For Tiles Joints of Width 1-6 mm
- Available in Multiple Attractive Colours





- **BENEFITS** Wide Range of Colours Water Resistance
- Ready to use

- Self Curing
 Crack Free
 Shrink Free
 Enhances Aesthetics

COLOUR: Available in multiple attractive Colours

SHELF LIFE: 1 Year From The Date of Mfg.

TECHICAL SPECIFICATIONS

Packaging Size: 1 kg / 500g

PARAMETERS	Pot Life	Bulk Density	Compressive Strength at 28 Days	Flexural Strength at 7 Days
SPECIFICATION	120 min	1.3 to	24	5.5
	@ 27'c	1.35 kg/Ltr	N/mm²	N/mm²



5BR 50% LATEX



BIGZEM SBR 50% is specially derived styrene-butadiene co-polymer latex liquid usedalong with cement for waterproofing, repairing of concrete and plaster, as a bond coatand for high performance plaster.

- For Internal Concrete Repairs and waterproofing of Toilet & Bathroom
- To Strenghten Old & New Concrete As a Bond Coat & For Cladding



SBR 50% LATEX FOR INTERNAL REPAIRS

FOR INTERNAL REPAIRS & WATERPROOFING

BENEFITS • Multipurpose Application • Enhances Bond Strength • Reduces Permeability

● Prevents Cracking ● Reduces Shrinkage ● Corrosion Resistance ● Abrasion Resistance

RECOMMENDED DOSAGE

As a water Latex: Cement in prooting coating 1: 15 ratio (Apply 2 coats of the mix)

As a repair mortar 10-15% of Latex by weight of cement As a Bond Coat Latex: Cement in 1:1 ratio

SHELF LIFE: 2 Year From The Date of Mfg. SOLID CONTENT: Higher

TECHICAL SPECIFICATIONS

Packaging Size : 1 kg & 5 kg

PARAMETERS	Appearance	Specific Gravity at 250 c	pH Value	Pot life	Chemical Resistance	Freeze Resistance
SPECIFICATION	SBR Latex	1.01 + / -0.02	7-9	30-45 mins at 30 c	Resists to mild acids, alkalies, sulphates	Excellent Resistance



GROUT ADMIX



90ml / 180ml

NET WEIGHT

It improves the performance of Portland cement grouts for all type of ceramic tile, brick, marble, natural stone and agglomerate stone installations.

PRODUCT DETAILS

Grout admix is specially designed Latex Admix to be used with sanded & unsanded grout.



GROUT ADMIX

BENEFITS

Colour-fastness
Flexibility
Compressive strength
Shock and chemical resistance
Reduces water absorption
Easy to clean

COVERAGE

Varies by application





TAP CLENER



BIGZEM TAP CLEANER is a hard water scale cleaner to remove the water scale, limescale, mud and rust deposits from any part of tap, water based equipment and pipe.

- Remove Water Scale, Limescale, Mud & Rust
- From Tap, Pipe & Other Equipments
- Boilers, Heat Exchange Units, Water Cooled Compressors



TAP CLENER

BENEFITS

- No Effect on Surface Shine
- Easily Removed Rust-Effective Scale Removed
- Water Based
- Fast Cleaning
- Easy to use
- Economical
- Do It Yourself Product

PACK SIZE

500g

SHELF LIFE

2 Years from the date of manufacturing.





TILE CLENER



BIGZEM Tile Cleaner is a powerful ceramic surface cleaner and stain remover. It is specially formulated to remove tough stains like salts, minerals, cement and other residual particles from the surface of tiles, wash basin, buckets and floors of kitchen, bathrooms, factories, garages etc.

- Ceramic Surface Cleaner & Tough Stains Remover
- Routine Cleaning in Diluted State
- Pre-cleaning of Tile Joints Before Grouting





BENEFITS

- Removes Tough Stains
- Fast Acting Formula
- No Etching of Ceramic Products
- No Effect on Tile Glaze
- Cleaning of All Types of Tiles
- Direct & Diluted Application
- Easy to Use. Economical

PACK SIZE


1Kg

SHELF LIFE

2 Years from the date of manufacturing.




TOOLS














TILE SPACER

BIGZEM TILE SPACER is specially designed to create a uniform gap between tiles. It is used for quick. easy and accurate tile alignment. It is suitable for all types of on floor and wall its available in 2mm - 10mm thickness. 2mm, 3mm, 4mm, 5mm, 6mm, 8mm, 10mm.



TILE SPINNER

THE TILE LEVELING SYSTEM



EQUALIZER

THE TILE LEVELING SYSTEM



WEDGE & CLIP

THE TILE LEVELING SYSTEM



TILE SUCTION CUP

THE TILE LEVELING SYSTEM



TROWEL

THE TILE LEVELING SYSTEM



TILE SPACER

THE TILE LEVELING SYSTEM



PEBBLES / TUMBLES







MIX TUMBLES



WHITE CRYSTAL



YELLOW TUMBLES



JESPAR



WHITE CRYSTAL



BLACK



WHITE



TRIRODI MIX



RUPA AGATE



MIX POPULAR



MIX PRAYASH

PRODUCT DETAILS

It is a Wonderful Colourful Stones, Pebbles, Tumbles. Huge Range of Popular & Modern Pretty Colourful Polished Glossy and Matt. For Home Decoration, Elevation, Garden Decor, Fountain, Aquarium etc.











- Re-usalbe
- Smooth Texture
- Asymmetrical Shape

There are several colorful stones that can add a vibrant touch to your home decor and interiors. ditch the ordinary and delve into the world of colorful stones! With their endless possibilities, they're sure to add a touch of magic to your home decor. Bring the beauty of nature indoors with a splash of color! Colorful stones, pebbles, and tumbled stones are a versatile and trendy way to add personality and visual interest to your home decor.





Elevate your space

SANITARY...TILES....FAUCET

Sales Inquiry: 90998 28886 hello@besso.in | www.besso.in

FOLLOW US







